



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/775,612	02/10/2004	Edward Melomed	MS307299.1/MSFTP605US	1584
27195	7590	04/15/2009		
AMIN, TUROCY & CALVIN, LLP			EXAMINER	
127 Public Square			SAINT CYR, LEONARD	
57th Floor, Key Tower				
CLEVELAND, OH 44114			ART UNIT	PAPER NUMBER
			2626	
			NOTIFICATION DATE	DELIVERY MODE
			04/15/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket1@thepatentattorneys.com
hholmes@thepatentattorneys.com
lpasterchek@thepatentattorneys.com

Office Action Summary

Application No.

10/775,612

Applicant(s)

MELOMED ET AL.

Examiner

LEONARD SAINT CYR

Art Unit

2626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02/13/09.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7, 9-41 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7, 9-41 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-8508)
- Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 02/13/09 has been entered.

Response to Arguments

2. Applicant's arguments filed 07/03/08 have been fully considered but they are not persuasive.

Applicant argues that neither Liddy et al., nor Park et al., nor Aityan teach providing an accurate translation that conforms to the proper punctuation, syntax, and semantics of a specified language; notifying the user of a degree of confidence that the translation is accurate (Amendment, pages 9 - 12).

The examiner disagrees, and points out the rejection is a combination of Liddy et al., Park et al., Aityan. Park et al., disclose that "if there are translations generated, executing a comparison processing for the generated translations, based on a semantic category tree, thereby eliminating unnecessary ones of the translations; analyzing a collocation of the resultant translations by reference to a collocation information

dictionary, thereby eliminating unnecessary one of the analyzed translations.

Collocation information about the words commonly used with the index word is stored in the collocation information dictionary. The collocation information includes word pairs each consisting of two words having a collocation relation in one sentence, and the frequency of use of the word pair in sentences" (col.2, lines 48 – 55; col.7, lines 9 - 14). Comparing the generated translations to a semantic tree and using a collocation information dictionary to eliminate unnecessary ones of the translations implies providing a linguistically accurate translation that conforms to the proper punctuation, syntax, and semantics of a specified language, since collocation information defines how words can be arranged in a sentence, which is similar to syntax.

Aityan discloses "translate a text from a first source language into a second target language. The system assigns probabilities or scores to various target-language translations and then displays or makes otherwise available the highest scoring translations" (paragraph 15, lines 1- 6). Thus, Park et al., in view of Aityan teach all parts of the limitations.

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 1- 7, 9 –37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liddy et al., (US Patent 6,006,221) in view of Park et al., (US Patent 6,064,951).

As per claims 1, 11, 22, and 35, Liddy et al., teach a data translation system comprising:

an interface component that receives requests for data from a user ("enable a user to enter a query"; col.2, lines 43 – 45); and

a translation component that retrieves data in accordance with the requests and returns the data to the user in a specified language, the translation component comprising an inference component that, upon retrieval, translates result data into one or more languages, the inference component including a context analyzer component to provide a linguistically accurate translation ("this does not mean, however, that retrieved documents could not then be translated, by machine or otherwise, if deemed appropriate by the user. Using the original language of the input text as a useful context for selecting the most appropriate sense of the words in a sentence. Each machine translation will process source documents to create a given translation without human intervention or aid"; col.7, lines 18 – 21; col.11, lines 56 – 58; col.22, lines 46 – 48).

However, Liddy et al., do not specifically teach providing an accurate translation that conforms to the proper punctuation, syntax, and semantics of a specified language; notifying the user of a degree of confidence that the translation is accurate.

Park et al., teach that if there are translations generated, executing a comparison processing for the generated translations, based on a semantic category tree, thereby eliminating unnecessary ones of the translations; analyzing a collocation of the resultant translations by reference to a collocation information dictionary, thereby eliminating unnecessary one of the analyzed translations (col.2, lines 48 – 55; col.7, lines 9 - 14).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a semantic tree and a collocation information dictionary in translation as taught by Park et al., in Liddy et al., because that would eliminate an ambiguousness of words involved in the transformation of the queries; thereby generating a desired query usable as an input for the Web information retrieval system (col.2, lines 15 – 18).

However Park et al., in view Liddy et al., do not specifically teach notifying the user of a degree of confidence that the translation is accurate.

Aityan teaches translate a text from a first source language into a second target language. The system assigns probabilities or scores to various target-language translations and then displays or makes otherwise available the highest scoring translations (paragraph 15, lines 1- 6).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to display scores to various target-language translations as taught by Aityan, because that would help improve the automated translation of natural languages (paragraph 22).

As per claim 2, Liddy et al., further disclose a language identification component that determines the specified language of a user (col.7, line 26).

As per claim 3, Liddy et al., further disclose a conversion component that receives data requests in a plurality of different formats and converts the requests into

Art Unit: 2626

executable queries on data ("accepts raw, unformatted text and transfers this to a standard format suitable"; col.8, lines 42 – 45).

As per claims 4, 12, 23, Liddy et al., further disclose that the request is a structured query in the user's preferred language ("enter queries in the user's native language"; col.2, lines 52 - 54).

As per claims 5, 13, 26, Liddy et al., further disclose that the request is a natural language request (col.2, lines 44, and 45).

As per claims 6, 15, 24, Liddy et al., further disclose that the translation component comprises: one or more translation tables; and a mapping component that maps retrieved data to its corresponding translation in a translation table (fig.4 shows translation tables that map French words to English words; col.11, lines 13 – 15; col.15, lines 42 – 49).

As per claims 7, 16, Liddy et al., further disclose that the translation tables are set up by a database administrator ("multilingual mapping terminology managers"; col.13, 18, and 19; col.22, lines 50 – 53).

As per claims 9, 17, 25, Liddy et al., further disclose that the inference component including a dictionary component to facilitate data translations (col.11, lines 32, and 60 – 64).

As per claim 10, Liddy et al., further disclose that the context analyzer receives metadata associated with result data ("meta-textual"; col.22, lines 27 – 29).

As per claims 14, 27, 36, Liddy et al., further disclose that the database is a multidimensional database ("database that includes documents in at least one other language of the plurality of supported languages"; col.2, lines 46 – 48).

As per claim 18, Liddy et al., further disclose a sort component that receives collation information from a user and sorts resulting data in accordance with the collation information ("components in a query tend to occur in a certain repetitive sequence... documents are arranged in ranked order according to their relative relevance to the substance of a query"; col.17, lines 12, and 13; col.18, lines 35 – 37).

As per claim 19, Liddy et al., further disclose that the collation information includes the language to be used for sorting ("enter queries in the user's native language"; col.2, lines 52 - 54).

As per claim 20, Liddy et al., teach an online analytical processing (OLAP) system comprising: an interface component to receive queries ("enable a user to enter a query"; col.2, lines 43 – 45)

a translation component that retrieves data and metadata from a multidimensional database ("database that includes documents in at least one other language of the plurality of supported languages") in accordance with a query and translates resulting data and metadata from a system base language into one or more user languages ("machine translation of relevant documents"; col.22, lines 30 – 37; col.2, lines 46 – 48);

wherein the translation component comprising an inference component that, upon retrieval, translates result data into one or more languages, the inference component including a context analyzer component to provide a linguistically accurate translation ("this does not mean, however, that retrieved documents could not then be translated, by machine or otherwise, if deemed appropriate by the user. Using the original language of the input text as a useful context for selecting the most appropriate sense of the words in a sentence. Each machine translation will process source documents to create a given translation without human intervention or aid"; col.7, lines 18 – 21; col.11, lines 56 – 58; col.22, lines 46 – 48).

However, Liddy et al., do not specifically teach providing an accurate translation that conforms to the proper punctuation, syntax, and semantics of a specified language; notifying the user of a degree of confidence that the translation is accurate.

Park et al., teach that if there are translations generated, executing a comparison processing for the generated translations, based on a semantic category tree, thereby eliminating unnecessary ones of the translations; analyzing a collocation of the resultant translations by reference to a collocation information dictionary, thereby eliminating unnecessary one of the analyzed translations (col.2, lines 48 – 55).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a semantic tree and a collocation information dictionary in translation as taught by Park et al., in Liddy et al., because that would eliminate an ambiguousness of words involved in the transformation of the queries; thereby generating a desired query usable as an input for the Web information retrieval system (col.2, lines 15 – 18).

However Park et al., in view Liddy et al., do not specifically teach notifying the user of a degree of confidence that the translation is accurate.

Aityan teaches translate a text from a first source language into a second target language. The system assigns probabilities or scores to various target-language translations and then displays or makes otherwise available the highest scoring translations (paragraph 15, lines 1- 6).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to display scores to various target-language translations as taught by Aityan, because that would help improve the automated translation of natural languages (paragraph 22).

As per claim 21, Liddy et al., further disclose that the translation component maps resulting data and metadata to a translation table to produce translated data and metadata (fig.4 shows translation tables that map French words to English words; col11, lines 13 – 15; col.15, lines 42 – 49).

As per claims 28, 37 Liddy et al., further disclose that a computer readable medium having stored thereon computer executable instructions for carrying out the method of claim 22 (col.4, lines 25 – 27).

As per claim 29, Liddy et al., teach a method of translating database data comprising:

receiving a language selection ("enter queries in the user's native language"; col.22, lines 52 – 54);

receiving a query in a first format; converting the query to a second format ("accepts raw, unformatted text and transfers this to a standard format suitable"; col.8, lines 42 – 45);

executing the query on a database; and translating received result data to the selected language; and utilizing context information to provide a linguistically accurate translation ("this does not mean, however, that retrieved documents could not then be translated, by machine or otherwise, if deemed appropriate by the user. Using the original language of the input text as a useful context for selecting the most appropriate sense of the words in a sentence. Each machine translation will process source

documents to create a given translation without human intervention or aid"; col.7, lines 18 – 21; col.11, lines 56 – 58; col.22, lines 46 – 48).

However, Liddy et al., do not specifically teach providing an accurate translation that conforms to the proper punctuation, syntax, and semantics of a specified language; notifying the user of a degree of confidence that the translation is accurate.

Park et al., teach that if there are translations generated, executing a comparison processing for the generated translations, based on a semantic category tree, thereby eliminating unnecessary ones of the translations; analyzing a collocation of the resultant translations by reference to a collocation information dictionary, thereby eliminating unnecessary one of the analyzed translations (col.2, lines 48 – 55).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a semantic tree and a collocation information dictionary in translation as taught by Park et al., in Liddy et al., because that would eliminate an ambiguousness of words involved in the transformation of the queries; thereby generating a desired query usable as an input for the Web information retrieval system (col.2, lines 15 – 18).

However Park et al., in view Liddy et al., do not specifically teach notifying the user of a degree of confidence that the translation is accurate.

Aityan teaches translate a text from a first source language into a second target language. The system assigns probabilities or scores to various target-language translations and then displays or makes otherwise available the highest scoring translations (paragraph 15, lines 1- 6).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to display scores to various target-language translations as taught by Aityan, because that would help improve the automated translation of natural languages (paragraph 22).

As per claim 30, Park et al., further disclose that the first query format is in a first language and the second query format is in a second language (col.2, lines 27 – 29).

As per claim 31, Liddy et al., further disclose the first query format is in a first language (“enter queries in the user’s native language”; col.2, lines 52 - 54).

As per claim 32, Liddy et al., further disclose translating the result data comprises mapping data and meta-data to a translation table associated with the selected language (fig.4 shows translation tables that map French words to English words; col.11, lines 13 – 15; col.15, lines 42 – 49).

As per claim 33, Liddy et al., further disclose sorting the translated data based on collation properties specified by a user (“components in a query tend to occur in a certain repetitive sequence... documents are arranged in ranked order according to their relative relevance to the substance of a query”; col.17, lines 12, and 13; col.18, lines 35 – 37).

As per claim 34, Liddy et al., further disclose that a computer readable medium having stored thereon computer executable instructions for carrying out the method of claim 29 (col.4, lines 25 – 27).

5. Claims 38 – 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Park et al., (US Patent 6,064,951), in view of Liddy et al., (US Patent 6,006,221), and further in view of Aityan (US PAP 2002/0169592).

As per claim 38, Park et al., teach a method of interacting with a database comprising: specifying a command in an unknown language, wherein the command is based at least in part on a user input; analyzing the command to determine a first language; receiving the command and translating the command into a second language; and performing an operation on a database in accordance with the command of the second language ("generating translations of the input query... and a transformed query memory unit for storing the query transformed from the source language into a target language"; col.2, lines 19 – 34);

providing an accurate translation that conforms to the proper punctuation, syntax, and semantics of the first language (col.2, lines 48 – 55; col.7, lines 9 - 14).

However Park et al., do not specifically teach utilizing context information to facilitate translations in at least one of the performance of the operation on the database or translation of a queried result, upon retrieval; notifying the user of a degree of confidence that the translation is accurate.

Liddy et al., teach that this does not mean, however, that retrieved documents could not then be translated, by machine or otherwise, if deemed appropriate by the user. Using the original language of the input text as a useful context for selecting the most appropriate sense of the words in a sentence. Each machine translation will process source documents to create a given translation without human intervention or aid (col.7, lines 18 – 21; col.11, lines 56 – 58; col.22, lines 46 – 48).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to translate the retrieved documents as taught by Liddy et al., in view of Park et al., so that the retrieved documents can be clearly understood by different groups of people.

However Park et al., in view Liddy et al., do not specifically teach notifying the user of a degree of confidence that the translation is accurate.

Aityan teaches translate a text from a first source language into a second target language. The system assigns probabilities or scores to various target-language translations and then displays or makes otherwise available the highest scoring translations (paragraph 15, lines 1- 6).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to display scores to various target-language translations as taught by Aityan, because that would help improve the automated translation of natural languages (paragraph 22).

As per claim 39, Park et al., further disclose that the command is to store a data in the database ("memory unit for storing the query transformed from the source language into a target language"; col.2, lines 32 – 34).

As per claim 40, Park et al., further disclose translating the command into a second language includes translating a natural language command into a structured command in the base language of the system ("translations of the input query and filtering unnecessary ones of the generated translations"; col.2, lines 27 – 32).

As per claim 41, Park et al., further disclose that a computer readable medium having stored thereon computer executable instructions for carrying out the method of claim 38 ("electronic dictionary"; col.2, lines 29 – 32).

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEONARD SAINT CYR whose telephone number is (571) 272-4247. The examiner can normally be reached on Mon- Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richemond Dorvil can be reached on (571) 272-7602. The fax phone number for the organization where this application or proceeding is assigned is (571)-273-8300.

Art Unit: 2626

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LS

04/08/09

/Richmond Dorvil/
Supervisory Patent Examiner, Art Unit 2626